

KUC48X

Product family	Hood
Hood Type	Under cabinet
Design	Canopy pro-style
Extraction	Vented
Material	Stainless steel
Stainless steel type	Brushed
EAN code	8017709248048
Hood width	48 "



Aesthetic

Aesthetics	Classic	Silkscreen color	Black
Color	Stainless steel	Logo	Silkscreened
Finishing	Satin		

Controls

Control setting	Control knobs	Control knobs	Pro-style
No. of controls	2	Controls color	Black

Programs / Functions

Speed levels	4
--------------	---

Technical Features


			
No. of lights	2	No. of filters	3
Lighting	Halogen	Anti-grease filters	Aluminum
Light power	20 W	Vent outlet	150 "
Light color temperature scale (°K)	3000 °K	Minimum distance from gas cooktop	30 "
Maximum extraction capacity at free mode	587.5 CFM	Minimum distance from electric cooktop	26 "
Motor power	455 W	Non-return valve	Yes

	Extraction rate [CFM]	Noise level [dB(A)]
Speed level 1	211.5	54
Speed 2	322	63
Speed 3	453	70
Speed level 4	584.5	75

Electrical Connection

Electrical connection rating 495 W
Voltage 120 V

Frequency (Hz) 60 Hz
Power supply cable length 39 3/8 "



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.