SUMMIT

SCR1536BGCSS



33.88" x 14.75" x 22.75" (H x W x D)

15" wide built-in undercounter glass door beverage cooler for home or commercial use, with digital controls, lock, LED light, and stainless steel cabinet

Highlights:

Just under 15" wide for an easy fit, with a flush back design to save space

Flexible design allows built-in or freestanding use under counters

Digital thermostat offers precise and convenient temperature control

Product Features:

| Commercially approved | ETL-S listed to NSF-7 Standards for use in commercial establishments | |
|--------------------------------------|--|--|
| Built-in capable | Make the best use of space by installing your appliance under the counter | |
| Fully finished black cabinet | Allows the unit to be used freestanding | |
| Glass door with stainless steel trim | Provides a full display of stored contents with a heat-safe double tempered design | |
| Factory installed lock | Keyed security on the door | |
| Digital thermostat | Electronic controls for precise temperature management. | |
| Digital display | Temperature readout can be shown in Celsius or Fahrenheit | |
| LED lighting | Gentle illumination with an on/off switch | |
| Automatic defrost | Reduced maintenance with the convenience of auto defrost | |

 \checkmark




SUMMIT

SCR1536BGCSS Specifications:

| Overview | | | |
|----------------------------|--------------------|--|--|
| Height of Cabinet | 33.88" (86 cm) | | |
| Width | 14.75" (37 cm) | | |
| Depth | 22.75" (58 cm) | | |
| Depth with Handle | 24.63" (63 cm) | | |
| Depth with door at 90° | 36.25" (92 cm) | | |
| Capacity | 2.45 cu.ft. (69 L) | | |
| Defrost Type | Automatic | | |
| Door | Glass | | |
| Cabinet | Stainless Steel | | |
| US Electrical Safety | ETL | | |
| Canadian Electrical Safety | ETL-C | | |
| Sanitation | ETL-S | | |
| Energy Usage/Year | 245.0kWh/year | | |
| Amps | 1.0 | | |
| Voltage/Frequency | 115 V AC/60 Hz | | |
| Weight | 77.0 lbs. (35 kg) | | |
| Shipping Weight | 80.0 lbs. (36 kg) | | |
| Parts & Labor Warranty | 1 Year | | |
| Compressor Warranty | 5 Years | | |
| UPC | 761101050935 | | |
| Refrigerator Features | | | |
| Sabbath Mode | Yes | | |
| Door Swing | RHD | | |
| Reversible | Yes | | |
| Shelf Type | Chrome | | |
| Shelf Qty | 3 | | |
| Thermostat Type | Digital | | |
| Refrigerant Type | R600a | | |
| Refrigerant Amount | 0.64oz. | | |
| High Side PSI | 270.0 | | |
| Low Side PSI | 105.0 | | |
| Level Legs Qty | 4 | | |
| Interior Light | Yes | | |
| Dimensions | | | |
| Interior Height | 23.5" (60 cm) | | |
| Interior Width | 10.25" (26 cm) | | |
| Interior Depth | 16.5" (42 cm) | | |
| Compressor Step Height | 3.75" (10 cm) | | |
| | | | |

| Compressor Step Width | 10.25" (26 cm) |
|-----------------------|----------------|
| Compressor Step Depth | 4.5" (11 cm) |
| | |
| | |
| | |
| | |
| | |
| | |



-



SUMMIT

