

HR 1956-2 LP

48 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



- Multicolored TFT touch display with clear text - M Touch
- Maximum variety - six powerful burners and a griddle
- Speed oven for a maximum variety of uses
- Perfect baking and roasting results - Moisture plus
- Precise cooking temperature – Wireless Precision Probe

EAN: 4002516103646 / material number: 10902470

Construction type	
Range including speed oven and gourmet drawer	•
Appliance width in inches	48
Type of heating	
Dual fuel	•
Gas type	Liquid gas
Design	
Appliance color	Clean Touch Steel
Oven display	M Touch
Speed Oven display	M Touch / M Touch
Convenience features - oven and speed oven	
Precise temperature control	75-575°F
Microwave power levels in W	80/150/300/450/600/850/1000
Wireless Precision Probe	•
Roast probe- speed oven	•
Keep-warm function	•
Crisp function	•
Rotisserie motor	•
Operating modes - oven and speed oven	
Defrost	•
MasterChef automatic programs	80
MasterChef Plus automatic programs	15
Auto roast	•
Gentle bake	•
Maxi Broil	•
Broil	•
Convection Bake	•
Intensive	•
Moisture plus	•
Slow roast	•
Microwave	•
Combi Auto Roast	•
Micro Broil	•
Combi Bake	•
Combi Broil	•
Surround	•
Browning	•
Bake	•
Convection Roast	•
Special modes	•
Convenience features and operating modes - gourmet drawer	
Warm cups	•
Warm plates	•
Keep food at serving temperature	•
Low-temperature cooking	•
Precise electronic temperature control from 104°F to 185°F	•

HR 1956-2 LP

48 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Cooktop features	
Number of gas burners	6
Number of simmer burners	2 x 10.000
Number of simmer burners	1 x 13.000
Number of simmer burners	3 x 19.500
True Simmer function	•
GasStop	•
ReStart	•
Number of griddle surfaces	1 x 14.300
Width of griddle surface in in.(mm)	10 1/4 (258)
Depth of griddle surface in in.(mm)	17 1/8 (434)
Control panel	
Precision knobs	•
Illuminated knob	•
ComfortSwivel handle	•
Motorized lift-up control panel	•
Sabbath program	•
MultiLingua	•
MyMiele	•
Time synchronization	•
Time of day display	•
Date display	•
Minute minder	•
Time buffer in h	200
Automatic switch-off	•
Programmable cooking time	•
Actual temperature display	•
Default temperatures	•
Acoustic signal when desired temperature is reached	•
Favorites	20
Individual settings	•
Timed bursts of steam	•
Warming drawer capacity	6 place settings
Microwave popcorn function	•
Recommended microwave output for each mode	•
Minute Plus button	•
Fully telescopic for easy loading and unloading of the gourmet drawer	•
Gourmet drawer with push-to-open mechanism	•
Door	
CleanGlass door	•
Door contact switch	•
SoftClose oven door/ SoftOpen	•
Cavity	
Oven cavity volume in cu. ft. (l)	3.21 (91)
Number of oven shelf levels	5
Number of Speed Oven shelf levels	3
No. of halogen lamps	3 in ovens/1 in microwave combination ovens

HR 1956-2 LP

48 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Cleaning convenience	
Stainless-steel front with partial Clean Touch Steel finish	•
Stainless-steel Speed Oven interior with PerfectClean and linen-weave finish	•
Oven with self-cleaning program	•
AirClean catalyzer	•
Broil element can be lowered	•
ComfortClean dishwasher-safe grates	•
Cooktop surface	Black enamel
Efficiency and sustainability	
Energy-saving lighting circuit	•
Residual heat utilization	•
Rapid Pre-Heat	•
Safety	
Appliance cooling system with cool touch front	•
Safety cut-out	•
Anti-slip liner in the gourmet drawer	•
System lock	•
Door contact switch	•
Door lock during self cleaning	•
Technical data	
Appliance width in inches	47 15/16
Appliance width in in.(mm)	1,220
Appliance height in in.(mm)	37 1/8 (942)
Appliance depth in in. (depth) with bullnose	27 1/2 (698)
Electric total rated load in kW	10.0
Power Rating in V	120
Convertible voltage in V	240/208
Fuse rating in A	50
Number of phases	1
Fresh water connection for Moisture Plus	•
Standard accessories	
Anti-splash insert	1
PerfectClean universal baking tray	1
Self Clean ready baking and roasting rack	3
Glass tray	2