

KMR 1356-1 LP

RangeTop
with 6 burners and griddle for versatility and performance



- Professional design - 48 (1,219)Inch wide in stainless steel with Clean Touch Steel™ finishing
- Direct control - metal knobs with light ring
- Easy cleaning - ComfortClean dishwasher-safe grates
- Broad performance spectrum – burner w. up to 19,500 BTU (5.7 kW)
- Convenient and safe - automatic re-ignition for all burners

EAN: 4002516051770 / material number: 10833900

Type of heating	
Fuel type	Gas
Construction type	
Rangetop	•
Design	
Casing	Stainless steel
Front panel	CleanSteel
Cooktop surround	•
Genuine metal knobs	•
Cast iron pot rest (matte black enameled)	•
Ring features	
Number of gas burners	6
Number of griddle surfaces	1
Ring	
Position	front left
Type	Ultra high-speed burner
Max. rating in W	5700
Position	rear left
Type	High-speed burner
Max. rating in W	2900
Position	left centre
Type	Griddle surface
Max. rating in W	4200
Position	Rear centre right
Type	Ultra high-speed burner
Max. rating in W	3800
Position	rear right
Type	High-speed burner
Max. rating in W	2900
Position	front right
Type	Ultra high-speed burner
Max. rating in W	5700
Position	Centre right front
Type	Ultra high-speed burner
Max. rating in W	5700
True Simmer function	•
Width of griddle surface in in.(mm)	10 1/4 (258)
Depth of griddle surface in in.(mm)	17 1/8 (434)
Control panel	
Operation via genuine metal knobs with backlit	•
Cleaning convenience	
Dishwasher-safe trivets	•
Single-piece cooktop surround	•
Safety	
Automatic re-ignition	•

More information at www.MieleUSA.com

For further information please see next page...

KMR 1356-1 LP

RangeTop


with 6 burners and griddle for versatility and performance



Technical data	
Dimensions in in. (width)	48 (1,219)
Dimensions (height) in in.(mm)	7 5/8 (191)
Dimensions (depth) in in. (mm) with bullnose	27 1/4 (692)
Dimensions (depth) in in. (mm) without bullnose	25 5/8 (650)
Weight in lbs. (kg)	171 (78)
Total connected load in kW	34.4
Voltage in V	120
Fuse rating in A	10
Number of phases	1
Power cord length in m	3 (1.2)

KMR 1356-1 LP

RangeTop
with 6 burners and griddle for versatility and performance



KMR 1354 G/LP, KMR 1355 G/LP, KMR 1356 G/LP
(installation drawings)

- 1) Side view
- 2) Front view
- 3) Rear view
- 4) Gas connection
- 5) Electrical connection